




46" LCD Display
Manufacturer: NEC
Model: P462

- Weight: 52.5 lbs
- Dimensions: 41.6" (w) x 24" (h) x 4.6" (d)
- Power Supply: 3.6 – 1.5A @ 100-240VAC, 50/60Hz
- Native Resolution: 1920 x 1080
- Contrast Ratio: 3500:1
- Operating Temperature: 5 – 40 C
- Brightness: 650 cd/m² (max), 500cd/m² (typ)
- Audio: Internal Speaker 10W + 10W, External Speaker Jack 15W+15W (8 ohm), Output, 3.5mm

Integrated Rise Engine

- Weight: 3.3 lbs
- Power Consumption: 38W max via internal connection
- Operating System: Windows 7
- RAM: 2GB
- Processor: Intel Core i5 2.4GHz
- Hard Driver: 160GB
- Graphics Card: Intel 3400 Chipset
- Connection: HDMI via internal connection
- Output: Display Port
- USB: 2 (USB 2.0)






X" = Desired distance from the floor to the bottom of the LCD when installed.

X" = Desired distance from the floor to the bottom of the LCD when installed.


Comments:

- ① Flush 120VAC Outlet – by others
- ② Flush CATx Outlet (LAN) – by others
- ③ Flush Coaxial Outlet (TV) – by others
- ④ Wall Mounting Bracket
- ⑤ 4" opening around display for recessed installations to allow for adequate ventilation
- ⑥ Locate outlets in shaded region

Front View



Side View



Technical Specifications

- **Weight:**
- **Dimensions:**
- **Power Consumption:**
- **Native Resolution:**
- **Contrast Ratio:**
- **Operating Temperature:**
- **Brightness:**

Overall Specifications

- 290 lbs
- 83.2" (w) x 48" (h) x 6.5" (d)
- 14.4 – 6A @ 100-240VAC, 50/60Hz
- 3840 x 2160
- 3000:1
- 5° to 40° C
- 500 cd/m² (typ)

Comments:

- ① Flush 120VAC Outlet – BY OTHERS
- ② 8 Shielded CAT5/6 Cable – BY OTHERS
- ③ Wall Mounting Bracket
- ④ Area of wall to be reinforced – 1/2" plywood recommended – BY OTHERS
- ⑤ 4" opening around display for recessed installations to allow for adequate ventilation – BY OTHERS



CLIENT FIREWALL



CLIENT LAN



Browser Requirements:

All browsers supported. Internet Explorer required the Google Chrome Frame Plugin

Network Requirements:

From LAN, Integrated Rise Engine requires access to the following:

- <http://rvauser.appspot.com>
- <http://rvagadgets.appspot.com>
- <http://rvashow.appspot.com>
- <http://rvaserver.appspot.com>